



CADENA - AREA MINERIA




Cadena N°	Resistencia a la traccion Qmin kN	b2 mm	d mm	h mm	t/T mm	W1 mm	W2 mm	H mm	α	Paso P mm	peso kg/m	Tipo
CTMi5000	224	32.5	22	45	10/25.4	106	280	66	75	152.4	20.02	A
CTMi5001	224	32.5	22	45	10/25.4	112	420	80	75	152.4	27.94	A
CTMi5002	224	32.5	22	45	10/25.4	115	320	102	75	152.4	26.71	A
CTMi5003	224	34	22	45	12/28.0	115	400	81	90	152.4	32.04	A
CTMi5004	224	32.5	22	45	10/25.4	/	160	/	75	152.4	13.05	B
CTMi5005	224	32.5	22	45	10/25.4	106	210	66	75	152.4	14.85	C
CTMi5006	224	32.5	22	45	10/25.4	/	210	/	75	152.4	14.26	D
CTMi5007	224	32.5	22	45	10/25.4	106	270	63	75	152.4	16.34	C
CTMi5008	224	32.5	22	45	10/25.4	/	270	/	75	152.4	15.42	D
CTMi5009	224	32.5	22	45	10/25.4	/	270	/	75	152.4	15.05	D
CTMi5010	350	40.8	25.2	51	9.5/32	/	290	/	90	152.4	21.18	B
CTMi5011	600	41	35	80	14/35	150	400	118	75	200	43.8	C
CTMi5012	600	41	35	80	14/35	/	400	/	75	200	40.12	D


CADENA-AREA MINERIA



Cadena N°	W2 mm	D mm	D1 mm	D2 mm	L mm	α	t/T mm	K mm	h mm	Paso P mm	d mm	b2 mm
CTMi5013	176	36	60	80	141	21	7	85	50	220	18	37




Cadena N°	Resistencia a la traccion Qmin kN	b2 mm	D mm	D1 mm	d mm	L mm	h mm	t/T mm	peso kg/m	Paso P mm
CTMi5014	253	31.75	57.3	52	24	99	48	6.8	14.37	101.6




Cadena N°	Paso P mm	E mm	T mm	M mm	h mm	L mm	b1 mm	W1 mm	H mm	W mm	K mm	d mm
CTMi5015	350	120	16	120	54	75	30	16	620	120	120	27

CADENA -AREA MINERIA




Cadena N°	Resistencia a la traccion Qmin kN	carga nominal de trabajo kN	peso kg/m	T mm	b2 mm	d mm	t/T mm	h mm	b1 mm	L mm	M mm	Paso P mm	K mm
CTMi5016	670	60.9	20.78	10.5	38	32		72	36	69		250	
CTMi5017	315	28.6	7.28	9.5	23.6	19		38	22	51		200	
CTMi5018	230	20.9	7.95	9.5	21.1	22		40	20	47		127	
CTMi5019	62.7	52.7	21.9	12	36.5	32		65	35	71		127	
CTMi5020	206	18.7	6.73		30.3	14	5.6	35	29.5	51	14	75	34

CADENA -AREA MINERIA




Cadena N°	Resistencia a la traccion	d mm	E mm	h mm	T mm	L mm	W mm	b1 mm	H mm	H1 mm	H2 mm	H3 mm	Paso P mm	B mm
CTMi5021	620	27	120	54	16	74.5	120	30	16	110	220	145	350	165




Cadena N°	Paso P mm	b2 mm	D mm	h mm	d mm	d1 mm	d2 mm	L1 mm	L mm	D1 mm	t/T mm	H1 mm	H mm	H3 mm
CTMi5022	101.6	70	57.2	48	24	73	178	228	142	52	8	89	44	290

CADENA -AREA MINERIA



Cadena N°	Paso P	D1 mm	D mm	d mm	b2 mm	L mm	D2 mm	L1 mm
CTMi5024	304		100		40	100	40	190
CTMi5025	220	80	36	18	37	141		



carga nominal de trabajo kN	H mm	t/T mm	Resistencia a la traccion Qmin kN	T mm	peso kg/ m	A mm	α	h mm	W2 mm	B mm	H3 mm
52.9				10		150	400		105		264
	58	7	176		22.1	207		52		80	