



CADENA -AREA CEMENTO




Cadena N°	Paso P mm	b1 mm	Dmm	Resistencia a la traccion	peso por metro kg/m	d mm
CTC2000	250	55	95	750	39.97	30
CTC2001	315	55	120	900	49.69	36
CTC2002	315	55	120	900	49.4	36
CTC2003	315	50	120	640	39.31	36
CTC2004	315	55	120	900	45.15	36
L1 mm	L2 mm	h mm	t/T mm			
62	70	75	14			
65	74	100	14			
64.9	66.7	100	14			
54.6	63.4	100	10			
65	74	90	14			



Cadena N°	E1 mm	E2 mm	C mm	W mm	d1 mm
CTC2005	180	246	120	152.5	25
CTC2006	200	315	110	140	25
CTC2007	200	315	110	140	25
CTC2008	200	305	130	160	25
CTC2009	200	315	110	139.5	25


CADENA-AREA CEMENTO




Cadena N°	Paso P mm	b1 mm	D mm	d mm	L1 mm	L2 mm	h mm	t/T mm
CTC2010	250	46	95	25	54.2	61.3	72	12
CTC2011	250	42	80	24	52	60	60	12
CTC2012	315	50	120	36	58.7	67.8	80	12

Resistencia a la traccion	Peso kg/m	E1 mm	E2 mm	F mm	d1 mm	H1 mm	W mm
670	36.19	100	160	106	26	136	134.1
520	26.79	100	152	83	21	150	112
610	42.8	130	190	89.5	21	140	125.5

CADENA -AREA CEMENTO



Cadena No.	Resistencia a la traccion	b1 mm	D mm	d mm	Peso kg/m	Paso P mm	h mm
CTC2013	540	57	48.5	22.23	30.1	100	75
CTC2014	540	57	48.5	22.23	30.34	100	75
CTC2015	540	57	47.5	22.23	30	100	75
C mm	W mm	d1 mm	t/T mm	L1 mm	L2 mm	E1 mm	
90	150	18	10	54.4	62.4	100	
105	150	18	10	54.4	62.4	100	
105	150	18	10	54.4	62.4	100	




Cadena N°	Resistencia a la traccion	b1 mm	D mm	d mm	Peso kg/m	Paso P mm	h mm
CTC2016	700	57.4	50.5	27	20.96	250	82
CTC2017	540	57	48.5	22.23	21.59	200	75
CTC2018	1000	76	90	35	53.21	250	100
W mm	E mm	d1 mm	t/T mm	L1 mm	L2 mm	C mm	
150	140	18	8:10	56	60	100	
125	100	22.23	10	62.25	62.25	80	
150	140	18	16	89	89	100	

CADENA -AREA CEMENTO


Cadena N°	Paso P mm	b1 mm	D(max) mm	d mm	L1 mm	L2 mm	h mm	t/T mm	E1 mm	E2 mm	F mm	W mm	d1 mm	H1 mm
CTC2019	250	43	42	21	44.4	50.8	60	8	65	112	140	180	16	55
CTC2020	315	48	50	25	51.1	50.9	70	10	100	150	160	216	18	65

Resistencia a la traccion	Peso kg/m
224	15.35
315	22.5




Cadena N°	Paso P mm	b1 mm	D mm	d mm	L1 mm	L2 mm	h mm	t/T mm	E1 mm	E2 mm	C mm	W mm	d1 mm	F mm
CTC2021	100	32	30	15	34	37	40	6	40	80	75	102	14	40
CTC2022	150	32	30	15	34	37	40	6	75	100	75	102	14	40
CTC2023	150	30	29	15	32.8	36.3	40	6	75	100	75	102	14	40
CTC2024	150	54.5	50	25	54.6	64.4	72	9.8	75	116	100	141	18	63.6

Resistencia a la traccion	Peso kg/m
112	5.79
112	7.39
200	7.57
460	24.43




CADENA -AREA CEMENTO




Cadena N°	Paso P mm	b1 mm	D mm	d mm	L1 mm	L2 mm	t/T mm	Resistencia a la traccion Qmin kN	Peso kg/m	h mm	E1 mm	E2 mm	C mm	W mm	d1 mm	F mm
CTC2025	75	42	36	18	41	46	7	160	17.4	56	75	143	80	110	14	50
CTC2026	100	57	50.8	24	55	62	9.5	539	27.8	63.5	100	168	100	160	18	62
CTC2027	100	47	42	21	46	54	8	224	20	60	100	168	100	148	18	55
CTC2028	125	57	50.8	24	55	62	9.5	539	20.7	63.5	125	193	110	172	22	62
CTC2029	125	70	62	33	69	79	13	980	46.2	0.67	125	210	110	172	22	79
CTC2030	150	83	72	37	76	86	13	1274	57.7	0.91	150	260	140	184	22	85
CTC2031	125	70	65	33	72	82	14	980	51.6	90	125	210	125	172	18	78
CTC2032	100	57	50	26	60	67	12	630	35.6	68	100	180	105	155	18	69

CADENA - AREA CEMENTO





Cadena N°	Paso P mm	b1 mm	D mm	d mm	L1 mm	L2 mm	h mm	t/T mm	Resistencia a la traccion	Peso kg/m	E1 mm	E2 mm	C mm	W mm	d1 m m	F mm	Tipo
CTC2033	100	50	46	22	51.9	59.6	60	10	450	24.3	100	148	100	156	18	59	A
CTC2034	100	50	46	22	51.9	60.9	60	10	450	24.3	100	148	100	156	18	59	B
CTC2035	100	53.7	50	24	53.9	66.6	68	10	630	28.7	100	157	100	137	18	67	B
CTC2036	125	53.7	50	26	57.9	70.1	68	12	630	34.9	100	180	115	155	18	67	B
CTC2037	100	60	55	28	61.4	83.6	78	12	790	41.7	100	180	115	153	18	71.4	B
CTC2038	100	53.7	48	24	53.9	66.6	68	10	630	28	100	157	100	137	18	67	B
CTC2039	75	43.6	39	20	44.1	51.2	56	8	375	20.3	75	132	90	124	14	50	A
CTC2040	125	80	70	38	77	96	110	14	1100	67.1	125	226	136	176	18	83	B

CADENA- AREA CEMENTO




Cadena N°	Paso P mm	b1 mm	D mm	d mm	h mm	Resistencia a la traccion Qmin kN	h1 mm	f mm	E1 mm	d1 mm
CTC2041	250	45	40	26	65	350	59.5	70	80	14
CTC2042	250	60	40	26	80	560	70	85	80	14
CTC2043	250	62	60	30	80	600	72	90	85	16
CTC2044	250	60	40	26	80	560	70	85	80	14
CTC2045	250	60	44.3	29.7	90	600	70	85	80	14
CTC2046	250	45	40	26	70	350	60	70	80	14
CTC2047	315	65	44	30	90	1500	60	267-2	55	12.7
CTC2048	250	55	50	25	70	350	70	80	80	18

CADENA -AREA CEMENTO



Cadena N°	Paso P mm	b1 mm	D mm	d mm	h mm	t/T mm	h1	L	Resistencia a la traccion
CTC2049	101.6	27	26.5	11.5	35	6	60	130	120
CTC2050	152.4	36.5	36	15.5	50	8	80	170	240
CTC2051	152.4	36.5	36	15.5	50	8	100	240	240
CTC2052	200	51.8	41 44.5	19.1	60	10	160	320	360
CTC2053	200	57.6	48.5	22.2	75	10	160	320	480
CTC2054	200	51.8	41 44.5	19.1	60	10	160	380	360
CTC2055	200	57.6	48.5	22.2	75	10	160	380	480
CTC2056	300	67.4	63.5	31.75	90	12	235	460	600
CTC2057	300	67.4	65	31.75	100	12	235	460	730
CTC2058	300	75	70	35	100	16	235	560	1000

CADENA-AREA CEMENTO




Cadena N°	Resistencia a la traccion Q	80 mm	100 mm	125 mm	160 mm	200 mm	250 mm	Pin d mm	R mm	S mm	C mm	C2 mm	d1 mm	T mm
CTC2059	56	#	#	#				9.92	10	6	12	11	10	12
CTC2060	80	#	#	#				11.91	12	7	14	13	12	14
CTC2061	112		#	#	#			14.91	15	8	16.5	15	15	17
CTC2062	160			#	#	#		17.91	18	10	18.5	17	18	20
CTC2063	224				#	#	#	20.89	21	12	22	20	21	23
CTC2064	315					#	#	24.89	25	14	26	24	25	27
CTC2065	450						#	29.68	30	16	30	28	30	32
CTC2066	630						#	35.68	36	20	32	30	36	40
CTC2067	900							43.87	45	24	40	38	44	48

CADENA -AREA CEMENTO




CADENA No	Paso P mm	Resistencia a la traccion	Peso kg/m
CTC2068	101.6	186	9.8
CTC2069	120.2	190	9.8
CTC2070	142.2	224	10.4
CTC2071	150	264	10.8
CTC2072	152.4	264	10.8
CTC2073	153.67	264	10.8
CTC2074	200	310	12.9

CADENA-AREA CEMENTO




Cadena N°	Paso P mm	b1 mm	d1 mm	h1 mm	T2/T1 mm	L1 mm	L2 mm	h2 mm	α	Resistencia a la traccion Q	Peso kg/m	Type
CTC2075	152.4	32.5	22	45	10 25.4	106	280	65.5	75	224	20.02	A
CTC2076	150	32.5	22	45	10 25.4	112	420	80	75	224	27.94	A
CTC2077	150	32.5	22	45	10 25.4	115	320	102	75	224	26.71	A
CTC2078	101.6	34	22	45	12 28.4	115	400	805	90	224	32.04	A
CTC2079	150	32.5	22	45	10 25.4	/	160	/	75	224	13.06	B
CTC2080	150	32.5	22	45	10 25.4	106	310	65.5	75	224	14.65	C
CTC2081	150	32.5	22	45	10 25.4	/	210	/	75	224	14.26	D
CTC2082	150	32.5	22	45	10 25.4	106	270	63	75	224	16.34	C
CTC2083	152.4	32.5	22	45	10 25.4	/	270	/	75	224	15.42	D
CTC2084	152.4	32.5	22	45	10 25.4	/	270	/	75	224	15.05	D
CTC2085	152.4	32.5	25	51	9.5 32	/	290	/	90	360	21.18	B
CTC2086	200	41	35	80	14 35	150	400	####	75	600	43.8	C
CTC2087	200	41	35	80	14 35	/	400	/	75	600	40.12	D

CADENA-AREA CEMENTO




Cadena N°	Paso P mm	b1 mm	d1 mm	h1 mm	h2 mm	t/T mm	W1 mm	H mm	Resistencia a la traccion	Peso kg/m	α_2	h2 mm	α_1	Tip o
CTC2088	150	26.4	18.5	44.5	38.1	8 22	-	280	315	11.9	-	-	90	A
CTC2089	150	23.5	18.5	44.5	38.1	8 22	165	185	235.3	10.2110.21	-	-	70	B
CTC2090	150	23.5	18.5	44.5	38.1	8 22	165	185	235.3	9.554	-	-	90	A
CTC2091	102	23.5	18.5	44.5	38.1	8 22	60	135	235.3	12.14	-	80	90	C
CTC2092	150	23.5	18.5	44.5	38.1	8 22	165	185	265	90554	-	-	90	B
CTC2093	150	23.5	18.5	44.5	38.1	8 22	265	285	235.3	10.55	-	-	90	B
CTC2094	150	24	18.5	44.5	38.1	8 22	165	185	262.5	9.763	-	-	70	B
CTC2095	150	24	18.5	44.5	38.1	8 22	-	220	262.5	12.53	-	-	70	A
CTC2096	152	30	22.12	44.5	-	8 25	136	236	262.5	21.66	60	120	75	D

CADENA-AREA CEMENTO




Cadena N°	Pas o P mm	d mm	h1 mm	b1 mm	b2 mm	L1 mm	L2 mm	h2 mm	Resistencia a la traccion Qmin kN	T mm	α
CTC2097	200	25	50	54	22	103	586	80	390	14	90
CTC2098	142	20	45	42	20	-	605	45	300	12	90
CTC2099	142	23	48	42	18	-	300	48	230	14	75
CTC2100	142	25	50	54	22	80	590	50	262.4	14	90
CTC2101	150	25	50	54	22	90	590	82	262.4	14	90
CTC2102	200	18	40	38	16	-	177	40	162	8	75
CTC2103	200	20	46	44	20	-	280	46	162	12	75

CADENA -AREA CEMENTO




Cadena No	Paso P mm	d mm	b1 mm	b2 mm	b3 mm	f1 mm	L mm
CTC2104	142	25	19	43	12	35	69




Cadena No	Paso P mm	d mm	b1 mm	b2 mm	b3 mm	L mm
CTC2105	142	25	29	62	15	82

CADENA -AREA CEMENTO




CADENA No	Paso P mm	d mm	h mm	b1 mm	b2 mm	b3 mm	f mm	L mm
CTC2106	200	25	50	24	58	17	38	75




CADENA No	Paso P mm	d1 mm	h mm	b1 mm	b2 mm	b3 mm	f mm	L mm
CTC2107	200	32	64	23	50	15	66	75

CADENA-AREA CEMENTO




Cadena N°	Paso P mm	d mm	length L mm	a α	h2	resistencia a la traccion Q	Peso kg/m
CTC2108	76.6	12.7	47	9	27	98	2.7
CTC2109	102.4	16	58	9	35	187	5.2
CTC2110	102.4	19.5	84.1	9	47.8	311.7	11.5
CTC2111	153.2	22.3	77	7	51.6	318	9.5
CTC2112	153.2	28	95.3	7	60	515	17
CTC2113	152.4	39	154	7	72	1078	37.7
CTC2114	100	15.5	77	9	35	187	4.7
CTC2115	100	17	77	9	35	187	4
CTC2116	160	23.5	96	7	51.6	318	10.3

CADENA- AREA CEMENTO




Cadena N°	A mm	B mm	C mm	D mm	E mm	F mm	G mm	Peso kg/m
CTC2117	64	60	100	100	25.5	22.6	16	1.35
CTC2118	82	60	136	128.6	22.6	20.5	20	2.7
CTC2119	89	82	144	136	31	23	16	3.45
CTC2120	82	82	136	128.6	25.5	22.6	18	2.7
CTC2121	101.6	120	170	170	42	28	20	7.5

CADENA -AREA CEMENTO



Cadena N°	Paso P mm	b1 mm	D mm	d mm	L mm	h mm	t/T mm	Resistencia a la traccion	Peso kg/m
CTC2122	152.4	76.2	44.45	25.4	152.2	63.5	12.7	364.5	24.57
CTC2123	152.4	74.9	44.45	25.4	152.2	76.2	12.7	431.2	24.72
CTC2124	152.4	76.2	44.45	25.4	152.2	82.6	12.7	431.2	31.27
CTC2125	152.4	76.2	50.8	28.7	154.2	62.6	14.3	431.2	31.27
CTC2126	152.4	95.25	60.45	31.75	193.5	101.6	16	689	50.63
CTC2127	153.67	84.8	44.45	25.4	161.5	63.5	12.7	377.8	24.72
CTC2128	177.8	95.25	60.45	31.75	193.5	101.6	16	689	49.14
CTC2129	177.8	92.25	63.5	35.1	186.7	101.6	15.7	689	49.14



CADENA -AREA CEMENTO



K24 Attachment								
Cadena N°	E1	E2	F	W	d1	H	T	Peso kg/m
CTC2130	63.5	175.5	184.2	238.3	17.5	47.75	12.7	40.95
CTC2131	63.5	175.5	184.2	241.3	17.5	47.75	12.7	43.18

			K443 Attachment							
Cadena N°	E1	E2	E3	F1	F2	W	d1	H	T	Peso kg/m
CTC2132	95.25	139.7	177.8	228.6	330.2	381	17.5	76.2	16	81.9
CTC2133	95.25	139.7	185.93	228.6	330.2	377.95	17.5	76.2	15.75	86.4


CADENA -AREA CEMENTO



			K35 Attachment						
Cadena N°	E1	E2	F1	F2	W	d1	H	T	Peso kg/m
CTC2034	63.5	148.3	184.2	298.5	344.4	17.5	47.8	12.7	40.06


			K44 Attachment						
Cadena N°	E1	E2	F1	F2	W	d1	H	T	Peso kg/m
CTC2035	88.9	139.7	177.8	304.8	355.6	14.3	63.5	12.7	56.59
CTC2036	69.85	150.7	228.6	330.2	381	17.5	76.2	16	87.86
CTC2037	88.9	145.1	177.8	304.5	347.5	14.3	63.5	12.7	59.56

CADENA -AREA CEMENTO




Cadena N°	Resistencia a la traccion	Carga de trabajo kN	Paso P mm	b1 mm	D mm	d mm	Peso kg/m	L mm	h mm	t/T mm
CTC2138	634.7	45.3	152.4	57.15	50.8	33.27	36.6	157	82.6	16
CTC2139	1300	84.5	177.8	68.33	66.68	41.07	60.2	172.16	19.05	19.05
CTC2140	1778	124.5	152.4	75.8	76.2	44.45	81.3	184	19.05	19.05

CADENA-AREA CEMENTO



Cadena N°	Cadena ISO N°	Paso P mm	b1 mm	d mm	L1 mm	L2 mm		Resistencia a la traccion	Carga de trabajo kN	Peso kg/m	h mm	T mm	D max mm	
CTC2141	2010	63.5	37.9	15.88	41.9	46.2	TH	254	16.5	13.1	44.5	8	31.75	CARB
CTC2142	2512	77.9	39	19.05	46.1	53.5	TH	300	26.8	18.1	50.8	9.5	41.4	TH
CTC2143		77.9	39	20.32	47	56	TH	300	19.8	16.7	54	9.5	41.4	TH
CTC2144		77.9	38.61	19.05	46.1	52.5	SIH	360	25.2	20.2	57.2	9.5	41.27	TH
CTC2145		78.1	36.83	16.51	44.9	49.3	SIH	270	18.3	13.9	44.5	9.5	31.75	TH
CTC2146		78.1	37.537.5	16.5	45.5	50.9	TH	330	22.7	12.4	39.9	9.5	31.75	TH
CTC2147		78.1	38.1	16.5	45.5	50.9	TH	330	22.7	13.3	44.5	9.5	31.75	TH
CTC2148	2814	88.9	68.66	22.23	63.6	62	TH	516	37.6	25.3	60.5	12.7	44.45	TH
CTC2149		101.6	48	31.55	68	78.9	SIH	480	36	37.6	69.9	12.7	57.15	TH
CTC2150		103.2	48	22.1	58.1	659	SIH	209	13.6	21.4	50.8	12.7	44.45	TH

CADENA -AREA CEMENTO



Cadena N°	Resistencia a la traccion	Carga de trabajo kN	Peso kg/m	Cadena ISO N°	Paso P mm	b1 mm	d mm	L1 mm	L2 mm		h mm	T mm	D mm	
CTC2151	400	28	22.4		103.2	50.8	22.1	58.1	67.5	SIH	54	12.7	44.45	TH
CTC2152	666.8	41	23.8		103.2	47.63	22.2	60.2	67.5	TH	57.2	12.7	44.45	TH
CTC2153	560	40.3	27.8	3315	103.45	48.8	23.8	62.9	71.4	TH	60.3	14.3	45.23	TH
CTC2154	560	40.3	28.4		103.45	52.3	25.4	62.9	70.3	SIH	60.3	14.3	45.23	TH
CTC2155	755.7	52	27.6		114.3	50.8	27.9	63.8	72.2	TH	79.2	14.3	57.15	TH
CTC2156	760	53	38.1	3618	114.3	52.3	27.9	62.6	71.7	TH	75.2	14.3	57.15	TH
CTC2157	740	50.3	37.4		118.11	69.4	27.9	67.2	75.6	SIH	82.6	16	57.15	TH
CTC2158	850	63.7	41.9		127	74.9	31.8	78.5	84.5	TH	88.9	15.9	63.5	TH
CTC2159	1156	75.1	51.3	4020	152.4	36.83	37.9	85.2	97	TH	101.6	19.1	76.2	TH
CTC2160	1400	95.2	69.1	4824	78.1	68.25	15.8	41.4	46.8	SIH	38.1	8	32	TH
CTC2161	109	8	10.4		127	36.83	31.6	74.1	78.1	CARB	88.9	15.9	63.5	TH
CTC2162	990	73	51.18		68.7		22.1	52.7	54.65	SIH	57.2	133	44.45	TH
CTC2163	400	27.6	22.68							SIH				